

2Wire Router Port Forwarding Setup For iDVR-PRO

1. Log into your 2Wire Router <http://192.168.1.1>
2. Click Firewall > Firewall Settings > Add new User Defined Application

Settings

By default, the firewall blocks all unwanted access from the Internet. You can allow access from the Internet to applications running on computers inside your secure home network by enabling firewall pinholes. Opening firewall pinholes is also known as opening firewall ports or firewall port forwarding. To do this, associate the desired application with the computer below. If you cannot find a listing for your application, you can create a user-defined application profile. (To create a user-defined profile, you will need to know protocol and port information.) [View firewall details](#)

To Allow Users Through the Firewall to Hosted Applications...

- 1 Select a computer
Choose the computer that will host applications through the firewall: **JOANNASDELL**
- 2 Edit firewall settings for this computer:
 - Maximum protection – Disallow unsolicited inbound traffic.
 - Allow individual application(s) – Choose the application(s) that will be enabled to pass through the firewall to this computer. Click **ADD >** to add it to the **Hosted Applications** list.

Applications:

- All
- Games
- Audio/Video
- Messaging and Internet
- Phone
- Servers
- Other
- User-defined
- [Add a new user-defined application](#)
- [Edit or delete user-defined application](#)

ABC Torrent
Age of Empires
Age of Kings
Age of Wonders
Aliens vs Predator
Anarchy Online
Asheron's Call
Baldur's Gate
BattleCom
Battlefield Communicator
Bit Torrent 2
Black and White
Dark Reign
Dark Reign 2
Delta Force

Hosted Applications:

ABC 1

ADD >
< REMOVE

Allow all applications (DMZplus mode) – Set the selected computer in DMZplus mode. All inbound traffic, except traffic which has been specifically assigned to another computer using the "Allow individual applications" feature, will automatically be directed to this computer. The DMZplus-enabled computer is less secure because all unassigned firewall ports are opened for that computer.

Note: Once DMZplus mode is selected and you click **DONE**, the system will issue a new IP address to the selected computer. The computer must be set to DHCP mode to receive the new IP address from the system, and you must reboot the computer. If you are changing DMZplus mode from one computer to another computer, you must reboot both computers.

DONE

Settings

Profile Name
Enter a name for the application profile that you are creating.

Application Name:

Definition
Choose a protocol and enter the port(s) for this application, then click **ADD DEFINITION** to add the definition to the Definition List. If the application requires multiple ports or both TCP and UDP ports, you will need to add multiple definitions.

Note: In some rare instances, certain application types require specialized firewall changes in addition to simple port forwarding. If the application you are adding appears in the application type menu below, it is recommended that you select it.

Protocol: TCP UDP

Port (or Range): From: To:

Protocol Timeout (seconds): TCP default = 86400
UDP default = 600

Map to Host Port: Default = the same port as defined above.

Application Type:

3. Now fill in the following:

Application Name: iDVR-PRO
Protocol: TCP
Port Range From: 8080
Port Range To: 8080
Protocol Timeout: Leave Blank
Map to Host Port: 8080

Now we will do the same thing again for port 554

Protocol: TCP
Port Range From: 554
Port Range To: 554
Protocol Timeout: Leave Blank
Map to Host Port: 554

4. Now click the Back button

5. Now you will need to select the Device you would like to open the port for. [Click the drop down and select the iDVR-PRO.
6. Now in the applications box locate the Port Rule you just created. Highlight the Port Rule and press the add button. Now you should see the rule in the Hosted Applications Box to the right.
7. Now press the Done Button

Settings

By default, the firewall blocks all unwanted access from the Internet. You can allow access from the Internet to applications running on computers inside your secure home network by enabling firewall pinholes. Opening firewall pinholes is also known as opening firewall ports or firewall port forwarding. To do this, associate the desired application with the computer below. If you cannot find a listing for your application, you can create a user-defined application profile. (To create a user-defined profile, you will need to know protocol and port information.) [View firewall details](#)

To Allow Users Through the Firewall to Hosted Applications...

- 1 Select a computer**
Choose the computer that will host applications through the firewall. **JOANNASDELL**
- 2 Edit firewall settings for this computer:**
 - Maximum protection** – Disallow unsolicited inbound traffic.
 - Allow individual application(s)** – Choose the application(s) that will be enabled to pass through the firewall to this computer. Click **ADD >** to add it to the **Hosted Applications** list.

Applications:

- All
- Games
- Audio/video
- Messaging and Internet
- Phone
- Servers
- Other
- User-defined

[Add a new user-defined application](#)
[Edit or delete user-defined application](#)

ABC Torrent
Age of Empires
Age of Kings
Age of Wonders
Aliens vs Predator
Anarchy Online
Asheron's Call
Baldur's Gate
BattleCom
Battlefield Communicator
Bit Torrent 2
Black and White
Dark Reign
Dark Reign 2
Delta Force

Hosted Applications:

ABC 1

Allow all applications (DMZplus mode) – Set the selected computer in DMZplus mode. All inbound traffic, except traffic which has been specifically assigned to another computer using the "Allow individual applications" feature, will automatically be directed to this computer. The DMZplus-enabled computer is less secure because all unassigned firewall ports are opened for that computer.

Note: Once DMZplus mode is selected and you click **DONE**, the system will issue a new IP address to the selected computer. The computer must be set to DHCP mode to receive the new IP address from the system, and you must reboot the computer. If you are changing DMZplus mode from one computer to another computer, you must reboot both computers.

DONE

You are now finished.