

NVRmini Supported Camera Spec

NUUO version 2.2_release date_091125

ACTi



Device Name	Tested Firmware	Video Format	Video Channels	Max Resolution	Audio	I/O Channels	PTZ Support	On-Edge Motion	UPnP	Remarks
ACD2000Q	A4Q-220-V3 .02.04-AC	MPEG4 M-JPEG	4	720x480	One-way	2/2	Yes	Yes	No	
ACD2100	A1D-220-V3 .08.08-AC	MPEG4 M-JPEG	1	720x480	One-way	2/2	Yes	Yes	No	
ACD2200		MPEG4 M-JPEG	4	720x480	One-way	8/8	Yes	Yes	No	Supported by design
ACD2300		MPEG4 M-JPEG	8	720x480	One-way	16/16	Yes	Yes	No	Supported by design
ACD2400	AGD-R2N-V 2.05.02-AC	MPEG4 M-JPEG	16	720x480	One-way	2/2	Yes	Yes	No	
ACM1231		MPEG4 M-JPEG	1	1280x1024	One-way	0/0	No	Yes	No	Supported by design
ACM1232		MPEG4 M-JPEG	1	1280x1024	One-way	0/0	No	Yes	No	Supported by design
ACM1311		MPEG4 M-JPEG	1	720x480	One-way	0/0	No	Yes	No	Supported by design
ACM1431		MPEG4 M-JPEG	1	720x480	One-way	0/0	No	Yes	No	Supported by design
ACM1432		MPEG4 M-JPEG	1	720x480	One-way	0/0	No	Yes	No	Supported by design
ACM1511		MPEG4 M-JPEG	1	1280x1024	One-way	0/0	No	Yes	No	Supported by design
ACM3001		MPEG4 M-JPEG	1	640x480	One-way	0/0	No	Yes	No	Supported by design
ACM3011		MPEG4 M-JPEG	1	640x480	One-way	0/0	No	Yes	No	Supported by design
ACM3211		MPEG4 M-JPEG	1	720x480	One-way	0/0	Yes	Yes	No	Supported by design
ACM3311		MPEG4 M-JPEG	1	720x480	One-way	0/0	Yes	Yes	No	Supported by design
ACM3401		MPEG4 M-JPEG	1	1280x1024	One-way	0/0	No	Yes	No	Supported by design
ACM3411		MPEG4 M-JPEG	1	1280x1024	One-way	0/0	No	Yes	No	Supported by design
ACM3511		MPEG4 M-JPEG	1	1280x1024	One-way	0/0	No	Yes	No	Supported by design
ACM4000		MPEG4 M-JPEG	1	640x480	One-way	0/0	No	Yes	No	Supported by design
ACM4100	A1D-220-V3 .09.14-AC	MPEG4 M-JPEG	1	640x480	One-way	0/0	No	Yes	No	Supported by design
ACM4200		MPEG4 M-JPEG	1	1280x1024	One-way	0/0	No	Yes	No	Supported by design
ACM4201		MPEG4 M-JPEG	1	1280x1024	One-way	0/0	No	Yes	No	Supported by design
ACM5001		MPEG4 M-JPEG	1	640x480	One-way	1/1	No	Yes	No	Supported by design
ACM5601	A1D-220-V3 .08.08-AC	MPEG4 M-JPEG	1	1280x1024	One-way	1/1	No	Yes	No	
ACM5611		MPEG4 M-JPEG	1	1280x1024	One-way	1/1	No	Yes	No	Supported by design
ACM5711	A1D-220-V3 .08.08-AC	MPEG4 M-JPEG	1	720x480	One-way	1/1	No	Yes	No	
ACM7411	A1D-220-V3 .09.14-AC	MPEG4 M-JPEG	1	1280x1024	One-way	1/1	No	Yes	No	
Note:	A1D-220-V3.09.14-AC: There is problem at 160x112 resolution.									
ACM8201	A1D-220-V3 .10.22-AC	MPEG4 M-JPEG	1	1280x1024	One-way	1/1	Yes	Yes	No	Supported by design
Note:	A1D-220-V3.09.14-AC: There is problem at 160x112 resolution.									
ACM8211	A1D-220-V3	MPEG4	1	1280x1024	One-way	1/1	Yes	Yes	No	1 / 17

NVRmini Supported Camera Spec



NUUO version 2.2_release date_091125

	.09.14-AC	M-JPEG		4						
CAM5200		MPEG4 M-JPEG	1	720x480	One-way	1/1	No	Yes	No	Supported by design
CAM5201		MPEG4 M-JPEG	1	720x480	One-way	1/1	No	Yes	No	Supported by design
CAM5221	A1D-M2N-V 2.08.11-AC	M-JPEG	1	720x480	One-way	1/1	No	Yes	No	
CAM5300		MPEG4 M-JPEG	1	720x480	One-way	1/1	No	Yes	No	Supported by design
CAM5301		MPEG4 M-JPEG	1	720x480	One-way	1/1	No	Yes	No	Supported by design
CAM5321		MPEG4 M-JPEG	1	720x480	One-way	1/1	No	Yes	No	Supported by design
CAM5500		MPEG4 M-JPEG	1	720x480	One-way	1/1	No	Yes	No	Supported by design
CAM6200	A1D-2.07.1 4-AC	MPEG4 M-JPEG	1	720x480	One-way	2/2	Yes	Yes	No	Supported by design
CAM6220	A1D-2.07.1 4-AC	MPEG4 M-JPEG	1	720x480	One-way	2/2	Yes	Yes	No	Supported by design
CAM6500		MPEG4 M-JPEG	1	720x480	One-way	2/2	Yes	Yes	No	Supported by design
CAM6510	A1D-M2N-V 2.08.11-AC	M-JPEG	1	720x480	One-way	2/2	Yes	Yes	No	
CAM6520		MPEG4 M-JPEG	1	720x480	One-way	2/2	Yes	Yes	No	Supported by design
CAM6600		MPEG4 M-JPEG	1	720x480	One-way	2/2	Yes	Yes	No	Supported by design
CAM6610		MPEG4 M-JPEG	1	720x480	One-way	2/2	Yes	Yes	No	Supported by design
CAM6620		MPEG4 M-JPEG	1	720x480	One-way	2/2	Yes	Yes	No	Supported by design
CAM6630		MPEG4 M-JPEG	1	720x480	One-way	2/2	Yes	Yes	No	Supported by design
CAM7100		MPEG4 M-JPEG	1	720x480	One-way	1/1	No	Yes	No	Supported by design
CAM7120		MPEG4 M-JPEG	1	720x480	One-way	1/1	No	Yes	No	Supported by design
CAM7200		MPEG4 M-JPEG	1	720x480	One-way	1/1	No	Yes	No	Supported by design
CAM7220		MPEG4 M-JPEG	1	720x480	One-way	1/1	No	Yes	No	Supported by design
CAM7300		MPEG4 M-JPEG	1	720x480	One-way	1/1	No	Yes	No	Supported by design
CAM7301		MPEG4 M-JPEG	1	720x480	One-way	1/1	No	Yes	No	Supported by design
CAM7320		MPEG4 M-JPEG	1	720x480	One-way	1/1	No	Yes	No	Supported by design
CAM7321		MPEG4 M-JPEG	1	720x480	One-way	1/1	No	Yes	No	Supported by design
CAM7322		MPEG4 M-JPEG	1	720x480	One-way	1/1	No	Yes	No	Supported by design
SED2120	A1D-M2N-V 2.08.11-AC	MPEG4	1	720x480	One-way	0/0	No	Yes	No	
SED2140		MPEG4 M-JPEG	1	720x480	One-way	2/2	Yes	Yes	No	Supported by design
SED2310Q		MPEG4 M-JPEG	1	720x480	One-way	2/2	Yes	Yes	No	Supported by design
SED2320Q		MPEG4 M-JPEG	1	720x480	One-way	2/2	Yes	Yes	No	Supported by design
SED2400		MPEG4 M-JPEG	2	720x480	One-way	2/2	Yes	Yes	No	Supported by design
SED2420	A1D-220-V3 .08.08-AC	MPEG4 M-JEPG	2	720x480	One-way	0/0	No	Yes	No	
SED2600		MPEG4 M-JPEG	8	720x480	One-way	16/16	Yes	Yes	No	Supported by design
SED2610		MPEG4 M-JPEG	8	720x480	One-way	16/16	Yes	Yes	No	Supported by design

2 / 17

NVRmini Supported Camera Spec



NUUO version 2.2_release date_091125

SED26X0		MPEG4 M-JPEG	8	720x480	One-way	16/16	Yes	Yes	No	Supported by design
TCM4301	A1D-310-V4 .05.13-AC	MPEG4 M-JPEG H.264	1	1280x1024	One-way	0/0	No	Yes	No	Supported by design
TCM5311	A1D-310-V4 .05.13-AC	MPEG4 M-JPEG H.264	1	1280x960	One-way	1/1	No	Yes	No	

Note: ACD / ACM series cameras do not support FW 3.11.11.

Note: Only **two** I/O are shown on the interface as adding **one** channel on devices with I/O function.

Arecont



Device Name	Tested Firmware	Video Format	Video Channels	Max Resolution	Audio	I/O Channels	PTZ Support	On-Edge Motion	UPnP	Remarks
AV1300	64328	M-JPEG	1	1280x1024	No	0/0	No	Yes	No	Supported by design
AV1305	64331	M-JPEG H.264	1	1280x1024	No	0/0	No	Yes	No	
AV1355	65130	M-JPEG H.264	1	1280x1024	No	0/0	No	Yes	No	Supported by design
AV2000	64328	M-JPEG	1	1600x1184	No	0/0	No	Yes	No	Supported by design
AV2100	64328	M-JPEG	1	1600x1184	No	0/0	No	Yes	No	Supported by design
AV2105	64331	M-JPEG H.264	1	1600x1184	No	0/0	No	Yes	No	
AV2155	64803	M-JPEG H.264	1	1600x1184	No	0/0	No	Yes	No	
AV3100	64328	M-JPEG	1	2048x1536	No	0/0	No	Yes	No	Supported by design
AV3105	64331	M-JPEG H.264	1	1920x1216	No	0/0	No	Yes	No	
AV3130	61906	M-JPEG	1	2048x1536	No	0/0	No	Need to retest	No	Supported by design
AV3155	65130	M-JPEG H.264	1	2048x1536	No	0/0	No	Yes	No	
AV5100	61906	M-JPEG	1	2560x1600	No	0/0	No	Yes	No	
AV5105	64331	M-JPEG H.264	1	2560x1600	No	0/0	No	Yes	No	
AV5155	65130	M-JPEG H.264	1	2560x1600	No	0/0	No	Yes	No	
AV8180	65010	M-JPEG	4	1600x1184	No	0/0	No	Yes	No	Supported by design
AV8185	64803	M-JPEG H.264	4	1600x1200	No	0/0	No	Yes	No	
AV8360	65010	M-JPEG	4	1600x1184	No	0/0	No	Yes	No	Supported by design
AV8365	65026	M-JPEG H.264	4	1600x1184	No	0/0	No	Yes	No	Supported by design

Axis



Device Name	Tested Firmware	Video Format	Video Channels	Max Resolution	Audio	I/O Channels	PTZ Support	On-Edge Motion	UPnP	Remark
205		M-JEPG	1	640x480	No	0/0	No	Yes	No	Supported by design
206		M-JEPG	1	640x480	No	0/0	No	Yes	Yes	Supported by design
206M		M-JEPG	1	1280x1024	No	0/0	No	Yes	Yes	Supported by design
206W		M-JEPG	1	640x480	No	0/0	No	Yes	Yes	Supported by design

NVRmini Supported Camera Spec



NUUO version 2.2_release date_091125

207	4.40	MPEG4 M-JEPG	1	640x480	One-way	1/1	No	Yes	Yes	
Note:	Not support audio in M-JPEG									
207MW		MPEG4 M-JEPG	1	1280x1024	One-way	1/1	No	Yes	Yes	Supported by design
207W		MPEG4 M-JEPG	1	640x480	One-way	1/1	No	Yes	Yes	Supported by design
209FD		MPEG4 M-JEPG	1	640x480	No	0/0	No	Yes	Yes	Supported by design
209FD-R		MPEG4 M-JEPG	1	640x480	No	0/0	No	Yes	Yes	Supported by design
209MFD		MPEG4 M-JEPG	1	1280x1024	No	0/0	Yes	Yes	Yes	Supported by design
209MFD-R		MPEG4 M-JEPG	1	1280x1024	No	0/0	Yes	Yes	Yes	Supported by design
210		MPEG4 M-JEPG	1	640x480	No	1/1		Yes	Yes	Supported by design
210A	4.40	MPEG4 M-JEPG	1	640x480	One-way	1/1	No	Yes	Yes	
211		MPEG4 M-JEPG	1	640x480	No	1/1	No	Yes	Yes	Supported by design
211A		MPEG4 M-JEPG	1	640x480	One-way	1/1	No	Yes	Yes	Supported by design
211M		MPEG4 M-JEPG	1	1280x1024	One-way	1/1	No	Yes	Yes	Supported by design
211W		MPEG4 M-JEPG	1	640x480	One-way	1/1	No	Yes	Yes	Supported by design
212		MPEG4 M-JEPG	1	640x480	One-way	1/1	Yes	Yes	Yes	Supported by design
213		MPEG4 M-JEPG	1	704x576	One-way	2/3	Yes	Yes	Yes	Supported by design
214	4.33	MPEG4 M-JEPG	1	704x480	One-way	1/1	Yes	Yes	Yes	
215		MPEG4 M-JEPG	1	704x576	One-way	1/1	Yes	Yes	Yes	Supported by design
216FD		MPEG4 M-JEPG	1	640x480	One-way	1/1	No	Yes	Yes	Supported by design
216FD-V		MPEG4 M-JEPG	1	640x480	One-way	1/1	No	Yes	Yes	Supported by design
216MFD		MPEG4 M-JEPG	1	1280x1024	One-way	1/1	No	Yes	Yes	Supported by design
216MFD-V		MPEG4 M-JEPG	1	1280x1024	One-way	1/1	No	Yes	Yes	Supported by design
221		MPEG4 M-JEPG	1	640x480	No	2/1	No	Yes	Yes	Supported by design
223M		MPEG4 M-JEPG	1	1600x1200	One-way	2/1	No	Yes	Yes	Supported by design
225FD		MPEG4 M-JEPG	1	640x480	No	2/1	No	Yes	Yes	Supported by design
231D		MPEG4 M-JEPG	1	704x576	No	4/4	Yes	Yes	Yes	Supported by design
232D		MPEG4 M-JEPG	1	704x576	No	4/4	Yes	Yes	Yes	Supported by design
233D		MPEG4 M-JEPG	1	704x576	One-way	4/4	Yes	Yes	Yes	Supported by design
240Q		M-JEPG	4	704x576	No	4/4	No	Yes	Yes	Supported by design
241Q		MPEG4 M-JEPG	4	704x576	No	4/4	No	Yes	Yes	Supported by design
241QA	4.30	MPEG4 M-JEPG	4	704x576	One-way	4/4	No	Yes	Yes	
241S		MPEG4 M-JEPG	1	704x576	No	4/4	No	Yes	Yes	Supported by design
241SA		MPEG4 M-JEPG	1	704x576	One-way	4/4	No	Yes	Yes	Supported by design
242S		MPEG4 M-JEPG	1	704x576	No	4/4	No	Yes	Yes	Supported by design

4/17

NVRmini Supported Camera Spec

NUUO version 2.2_release date_091125

243Q		MPEG4 M-JPEG	1	704x576	No	1/1	No	Yes	Yes	Supported by design
243SA		MPEG4 M-JPEG	1	704x576	One-way	4/4	No	Yes	Yes	Supported by design
247S		MPEG4 M-JPEG	1	704x576	One-way	1/1	No	Yes	Yes	Supported by design
M1011	5.00	MPEG4 M-JPEG H.264	1	640x480	No	0/0	No	Yes	Yes	
M1011-W	5.00	MPEG4 M-JPEG H.264	1	640x480	No	0/0	No	Yes	Yes	
M1031-W	5.00	MPEG4 M-JPEG H.264	1	640x480	No	0/0	No	Yes	Yes	
M3011	5.00	MPEG4 M-JPEG H.264	1	640x480	No	0/0	No	Yes	Yes	Supported by design
M3014		M-JPEG H.264	1	1280x800	No	0/0	No	Yes	Yes	Supported by design
P1311	5.01	MPEG4 M-JPEG H.264	1	640x480	One-way	1/1	No	Yes	Yes	
P1344		M-JPEG H.264	1	1280x800	One-way	1/1	No	Yes	Yes	Supported by design
P3301	5.01	M-JPEG H.264	1	640x480	One-way	1/1	No	Yes	Yes	Supported by design
P3301-V		M-JPEG H.264	1	640x480	One-way	1/1	No	Yes	Yes	Supported by design
P3343		M-JPEG H.264	1	800x600	One-way	1/1	Yes	Yes	Yes	Supported by design
P3343-V		M-JPEG H.264	1	800x600	One-way	1/1	Yes	Yes	Yes	Supported by design
P3343-VE		M-JPEG H.264	1	800x600	One-way	1/1	Yes	Yes	Yes	Supported by design
P3344	5.06	M-JPEG H.264	1	1280x800	One-way	1/1	Yes	Yes	Yes	
P3344-V	5.06	M-JPEG H.264	1	1280x800	One-way	1/1	Yes	Yes	Yes	
P3344-VE	5.06	M-JPEG H.264	1	1280x800	One-way	1/1	Yes	Yes	Yes	
Note:	P3343 and P3344 series cameras support digital PTZ only.									
Q1755	5.02	M-JPEG H.264	1	1920x1080	No	1/1	Yes	Yes	Yes	
Note:	M-JPEG: Due to the HW constraints, the frame rate and audio will be impacted if resolution and quality are high.									
Q6032-E	5.05	M-JPEG H.264	1	704x576	No	0/0	Yes	Yes	Yes	
Q7401		M-JPEG H.264	1	704x576	One-way	2/2	Yes	Yes	Yes	Supported by design
Q7404	5.02	M-JPEG H.264	4	768x576	One-way	1/1	Yes	Yes	Yes	
Q7406		M-JPEG H.264	6	704x576	No	1/1	Yes	Yes	Yes	Supported by design

Cisco



Device Name	Tested Firmware	Video Format	Video Channels	Max Resolution	Audio	I/O Channels	PTZ Support	On-Edge Motion	UPnP	Remarks
CIVS-IPC-2500	V1.1.3R15	MPEG4 M-JPEG	1	720x480	One-way	2/2	No	No	Yes	
CIVS-IPC-2500W	V1.1.3R03	MPEG4 M-JPEG	1	720x480	One-way	2/2	Yes	No	Yes	
PVC-300	1.0.0	MPEG4 M-JPEG	1	640x480	One-way	1/1	Yes	Yes	Yes	Supported by design
Note:	PTZ is only supported by external RS-485 device.									

5 / 17

NVRmini Supported Camera Spec

NUUO version 2.2_release date_091125

D-Link



Device Name	Tested Firmware	Video Format	Video Channels	Max Resolution	Audio	I/O Channels	PTZ Support	On-Edge Motion	UPnP	Remarks
DCS-1100	1.00	MPEG4 M-JPEG	1	640x480	One-way	0/0	No	Yes	Yes	Supported by design
DCS-1130	1.00	MPEG4 M-JPEG	1	640x480	One-way	0/0	No	Yes	Yes	Supported by design
DCS-2100		H.263	1	720x576	One-way	0/0	No	Yes	Yes	Supported by design
DCS-2100G		H.263	1	720x576	One-way	0/0	No	Yes	Yes	Supported by design
DCS-2102		MPEG4 M-JPEG	1	1280x1024	One-way	1/1	No	Yes	Yes	Supported by design
DCS-2120 (TW)	0201tw	MPEG4	1	720x576	One-way	1/1	No	Yes	Yes	
DCS-2120		MPEG4	1	720x576	One-way	0/0	No	Yes	Yes	Supported by design
DCS-2121		MPEG4 M-JPEG	1	1280x1024	One-way	1/1	No	Yes	Yes	Supported by design
DCS-3110		MPEG4 M-JPEG	1	1280x1024	One-way	1/1	No	Yes	Yes	Supported by design
DCS-3220		MPEG4	1	720x576	One-way	1/1	No	Yes	Yes	Supported by design
DCS-3220G		MPEG4	1	720x576	One-way	1/1	No	Yes	Yes	Supported by design
DCS-3410		MPEG4 M-JPEG	1	704x576	One-way	2/1	No	Yes	Yes	Supported by design
DCS-3415	1.00	MPEG4 M-JPEG	1	640x480	One-way	1/1	No	Yes	Yes	
Note:	PTZ Support: zoom only.									
DCS-3420		MPEG4 M-JPEG	1	720x576	One-way	1/1	No	Yes	Yes	Supported by design
DCS-5220 (TW)		MPEG4	1	720x576	One-way	0/0	Yes	Yes	Yes	Supported by design
DCS-5220	0200	MPEG4	1	720x576	One-way	0/0	Yes	Yes	Yes	
DCS-5300	1.05	MPEG4	1	704x576	One-way	1/1	Yes	Yes	Yes	
DCS-5300G		H.263	1	720x576	One-way	1/1	Yes	Yes	Yes	Supported by design
DCS-5610		MPEG4 M-JPEG	1	720x576	One-way	1/1	Yes	Yes	Yes	Supported by design
DCS-6110	1.00	M-JPEG	1	720x576	No	1/1	No	Yes	Yes	
DCS-6111	1.00	MPEG4 M-JPEG	1	640x480	One-way	1/1	No	Yes	Yes	
DCS-6410	1.00	MPEG4 M-JPEG	1	704x576	One-way	2/1	No	Yes	Yes	Supported by design
DCS-6620	1.05	MPEG4 M-JPEG	1	704x576	One-way	0/0	Yes	Yes	Yes	
DCS-6620G	1.05	MPEG4 M-JPEG	1	720x576	One-way	0/0	Yes	Yes	Yes	
DCS-7510	1.00	MPEG4 M-JPEG	1	704x576	One-way	2/1	No	Yes	Yes	Supported by design
DCS-900	1.00	MPEG4	1	640x480	One-way	0/0	No	No	Yes	Supported by design
DCS-910	1.00	MPEG4	1	640x480	One-way	0/0	No	No	Yes	Supported by design
DCS-920		M-JPEG	1	640x480	No	0/0	No	No	Yes	Supported by design
DCS-950		MPEG4	1	640x480	One-way	0/0	No	No	Yes	Supported by design
DCS-950G		MPEG4	1	640x480	One-way	0/0	No	No	Yes	Supported by design
DCS-G900		M-JPEG	1	640x480	No	0/0	No	No	Yes	Supported by design

6/17

NVRmini Supported Camera Spec

NUUO version 2.2_release date_091125

DVS-104		M-JPEG	4	720x576	No	4/2	No	Yes	Yes	Supported by design
DVS-301		H.263	1	704x576	One-way	1/1	No	Yes	Yes	Supported by design

Eneo

Device Name	Tested Firmware	Video Format	Video Channels	Max Resolution	Audio	I/O Channels	PTZ Support	On-Edge Motion	UPnP	Remarks
GLC-1401	1.42	MPEG4 M-JPEG	1	720x576	One-way	1/0	Yes	Yes	Yes	Supported by design
GLC-1601	1.43	MPEG4 M-JPEG	1	720x576	One-way	1/0	Yes	Yes	Yes	
GLC-1602 H	1.40	M-JPEG	1	720x576	One-way	1/0	Yes	Yes	Yes	Supported by design
GLD-1401	1.40	MPEG4 M-JPEG	1	720x576	No	1/0	No	Yes	Yes	
GLD-1501	1.43	MPEG4 M-JPEG	1	720x576	One-way	1/0	No	Yes	Yes	Supported by design
GLS-2101	1.45	MPEG4 M-JPEG	1	720x576	One-way	1/0	Yes	Yes	Yes	

Note: PTZ is only supported by external RS-485 device.

IQinVision



Device Name	Tested Firmware	Video Format	Video Channels	Max Resolution	Audio	I/O Channels	PTZ Support	On-Edge Motion	UPnP	Remarks
IQ042S	V3.0/2	M-JPEG	1	1280x1024	No	0/0	No	Yes	No	
IQA25S	V2.9/6	M-JPEG	1	1280x1024	No	4/4	No	No	No	
IQeye301		M-JPEG	1	1280x1024	No	1/1	No	Yes	No	Supported by design
IQeye301m		M-JPEG	1	1280x1024	No	1/1	No	Yes	No	Supported by design
IQeye301w		M-JPEG	1	1280x1024	No	1/1	No	Yes	No	Supported by design
IQeye302		M-JPEG	1	1280x1024	No	1/1	No	Yes	No	Supported by design
IQeye302w		M-JPEG	1	1280x1024	No	1/1	No	Yes	No	Supported by design
IQeye303		M-JPEG	1	1280x1024	No	1/1	No	Yes	No	Supported by design
IQeye303w		M-JPEG	1	1280x1024	No	1/1	No	Yes	No	Supported by design
IQeye501		M-JPEG	1	1280x1024	No	1/1	No	Yes	No	
IQeye510	B2.8/608	M-JPEG	1	752x480	No	0/0	No	Yes	No	
IQeye511	V2.8/6	M-JPEG	1	1280x1024	No	0/0	No	Yes	No	
IQeye601		M-JPEG	1	1280x1024	No	1/1	No	Yes	No	Supported by design
IQeye602		M-JPEG	1	1280x1024	No	1/1	No	Yes	No	Supported by design
IQeye603		M-JPEG	1	1280x1024	No	1/1	No	Yes	No	Supported by design
IQeye701	V2.8/6	M-JPEG	1	1280x1024	No	1/1	No	Yes	No	
IQeye702	V2.8/6	M-JPEG	1	1600x1200	No	1/1	No	Yes	No	
IQeye703	V2.8/6	M-JPEG	1	2048x1536	No	1/1	No	Yes	No	
IQeye705	V2.8/6	M-JPEG	1	2560x1920	No	1/1	No	Yes	No	
IQeye751		M-JPEG	1	1280x1024	No	1/1	No	Yes	No	Supported by design

NVRmini Supported Camera Spec

NUUO version 2.2_release date_091125

IQeye752	V2.8/6	M-JPEG	1	1600x1200	No	1/1	No	Yes	No	
IQeye753		M-JPEG	1	2048x1536	No	1/1	No	Yes	No	Supported by design
IQeye755	V2.8/6	M-JPEG	1	2560x1920	No	1/1	No	Yes	No	
IQeye855	V2.8/6	M-JPEG	1	2560x1920	No	1/1	No	Yes	No	

LevelOne



Device Name	Tested Firmware	Video Format	Video Channels	Max Resolution	Audio	I/O Channels	PTZ Support	On-Edge Motion	UPnP	Remarks
FCS-0010		MPEG4 M-JPEG	1	640x480	One-way	0/0	No	No	Yes	Supported by design
FCS-0020		MPEG4 M-JPEG	1	640x480	One-way	0/0	No	No	Yes	Supported by design
FCS-1010	0102d	H.263	1	720x576	One-way	1/1	Yes	Yes	Yes	
FCS-1030 V1.0		H.263	1	720x576	One-way	0/0	No	Yes	Yes	Supported by design
FCS-1030 V2.0		MPEG4	1	720x576	One-way	0/0	No	Yes	Yes	Supported by design
FCS-1040	0102a	MPEG4 M-JPEG	1	720x576	One-way	1/1	Yes	Yes	Yes	
FCS-1050		H.263	1	720x576	One-way	1/1	No	Yes	Yes	Supported by design
FCS-1060	0202a	MPEG4	1	720x576	One-way	0/0	Yes	Yes	Yes	
FCS-1070		MPEG4 M-JPEG	1	720x576	One-way	1/1	No	Yes	Yes	
FCS-1081		MPEG4 M-JPEG	1	640x480	No	0/0	No	Yes	Yes	Supported by design
FCS-1081A		MPEG4 M-JPEG	1	640x480	One-way	0/0	No	Yes	Yes	Supported by design
FCS-1091		MPEG4 M-JPEG	1	640x480	One-way	2/2	No	No	Yes	Supported by design
FCS-1101		MPEG4 M-JPEG	1	640x480	One-way	0/0	No	Yes	Yes	Supported by design
FCS-3000	0101a	MPEG4 M-JPEG	1	720x576	One-way	1/1	No	Yes	Yes	
FCS-3021		MPEG4 M-JPEG	1	720x576	One-way	1/1	No	Yes	Yes	Supported by design
FCS-4010		MPEG4 M-JPEG	1	720x576	One-way	4/1	Yes	Yes	Yes	Supported by design
FCS-4x00		MPEG4 M-JPEG	1	640x480	One-way	1/1	Yes	Yes	Yes	Supported by design
FCS-5011	0100c	MPEG4 M-JPEG	1	720x480	One-way	1/1	No	Yes	Yes	
FCS-5030	0100a2	MPEG4 M-JPEG	1	720x576	One-way	1/1	No	Yes	Yes	
Note:		No audio support in M-JPEG format.								
FCS-7011		MPEG4 M-JPEG	1	640x480	One-way	1/1	Yes	Yes	Yes	Supported by design
WCS-0010		MPEG4 M-JPEG	1	640x480	One-way	0/0	No	No	Yes	Supported by design
WCS-0020		MPEG4 M-JPEG	1	640x480	One-way	0/0	Yes	No	Yes	Supported by design
WCS-1090		MPEG4 M-JPEG	1	640x480	One-way	2/2	No	No	Yes	Supported by design
WCS-2010 V1.0		H.263	1	720x576	One-way	1/1	Yes	Yes	Yes	Supported by design
WCS-2010 V2.0		H.263	1	720x576	One-way	1/1	Yes	Yes	Yes	Supported by design
WCS-2030 V1.0	0200d	H.263	1	720x576	One-way	0/0	No	Yes	Yes	
WCS-2030		H.263	1	720x576	One-way	0/0	No	Yes	Yes	Supported

8/17

NVRmini Supported Camera Spec

NUUO version 2.2_release date_091125

V2.0										by design
WCS-2030 V3.0		MPEG4	1	720x576	One-way	0/0	No	Yes	Yes	Supported by design
WCS-2040	0101b	MPEG4 M-JPEG	1	704x576	One-way	1/1	Yes	Yes	Yes	
WCS-2060		MPEG4	1	720x576	One-way	0/0	No	Yes	Yes	Supported by design
WCS-2070	0100b	MPEG4 M-JPEG	1	720x576	One-way	1/1	No	Yes	Yes	

Linksys



Device Name	Tested Firmware	Video Format	Video Channels	Max Resolution	Audio	I/O Channels	PTZ Support	On-Edge Motion	UPnP	Remarks
PVC2300	V1.1.0(xVC 2300_FW_V 1.1.0R05)	MPEG4 M-JPEG	1	640x480	One-way	2/2	Yes	No	Yes	
WVC210		MPEG4 M-JPEG	1	640x480	One-way	0/0	Yes	No	Yes	
WVC2300	V1.1.0(xVC 2300_FW_V 1.1.0R05)	MPEG4 M-JPEG	1	640x480	One-way	2/2	Yes	No	Yes	

Note: PTZ is only supported by external RS-485 device.

Lumenera



Device Name	Tested Firmware	Video Format	Video Channels	Max Resolution	Audio	I/O Channels	PTZ Support	On-Edge Motion	UPnP	Remarks
le045c		M-JPEG	1	720x480	No	0/0	No	No	No	Supported by design
le045c-dn		M-JPEG	1	720x480	No	0/0	No	No	No	Supported by design
le075c		M-JPEG	1	640x480	No	0/0	No	No	No	Supported by design
le075c-dn		M-JPEG	1	640x480	No	0/0	No	No	No	Supported by design
le11059c		M-JPEG	1	4000x265 6	No	0/0	No	No	No	Supported by design
le165c		M-JPEG	1	1376x103 2	No	0/0	No	No	No	Supported by design
le165c-dn		M-JPEG	1	1376x103 2	No	0/0	No	No	No	Supported by design
le175c		M-JPEG	1	1280x102 4	No	0/0	No	No	No	Supported by design
le175c-dn		M-JPEG	1	1280x102 4	No	0/0	No	No	No	Supported by design
le259c		M-JPEG	1	1920x108 0	No	0/0	No	No	No	Supported by design
le275c		M-JPEG	1	1600x120 0	No	0/0	No	No	No	Supported by design
le275c-dn		M-JPEG	1	1600x120 0	No	0/0	No	No	No	Supported by design
le375c		M-JPEG	1	2048x153 6	No	0/0	No	No	No	Supported by design
le375c-dn		M-JPEG	1	2048x153 6	No	0/0	No	No	No	Supported by design
li165c	5626	M-JPEG	1	1376x103 2	No	0/0	No	No	No	

Mobotix



NVRmini Supported Camera Spec

NUUO version 2.2_release date_091125

Device Name	Tested Firmware	Video Format	Video Channels	Max Resolution	Audio	I/O Channels	PTZ Support	On-Edge Motion	UPnP	Remark
D12D-IT		M-JPEG MxPEG	1	640x480	One-way	0/0	No	Yes	No	Supported by design
D12D-Sec		M-JPEG MxPEG	1	2048x1536	One-way	0/0	No	Yes	No	Supported by design
D22M-Basic		M-JPEG MxPEG	1	640x480	One-way	0/0	No	Yes	No	Supported by design
D22M-IT	MX-V3.4.0.9	M-JPEG MxPEG	1	640x480	One-way	0/0	No	Yes	No	Supported by design
D22M-Sec		M-JPEG MxPEG	1	2048x1536	One-way	0/0	No	Yes	No	Supported by design
M10D	M10-V2.2.2.17	MJPEG	1	2048x1536	One-way	0/0	No	Yes	No	
M12D-IT		M-JPEG MxPEG	1	640x480	One-way	0/0	No	Yes	No	Supported by design
M12D-Sec	MX-V3.4.0.9	M-JPEG MxPEG	1	2048x1536	One-way	0/0	No	Yes	No	
M12D-Web		M-JPEG MxPEG	1	2048x1536	One-way	0/0	No	Yes	No	Supported by design
M22M-IT		M-JPEG MxPEG	1	640x480	One-way	0/0	No	Yes	No	Supported by design
M22M-Sec		M-JPEG MxPEG	1	2048x1536	One-way	0/0	No	Yes	No	Supported by design
Q22M-Basic		M-JPEG MxPEG	1	640x480	One-way	0/0	No	Yes	No	Supported by design
Q22M-Sec	MX-V3.4.5.10	M-JPEG MxPEG	1	2048x1536	One-way	0/0	No	Yes	No	Supported by design
Q24-Basic		M-JPEG MxPEG	1	640x480	One-way	0/0	No	Yes	No	Supported by design
Q24-Sec	MX-V4.0.1.7	M-JPEG MxPEG	1	2048x1536	One-way	0/0	No	Yes	No	

Panasonic



PCC

Device Name	Tested Firmware	Video Format	Video Channels	Max Resolution	Audio	I/O Channels	PTZ Support	On-Edge Motion	UPnP	Remarks
BB-HCE481		M-JPEG	1	640x480	One-way	2/1	No	Yes	Yes	Supported by design
BB-HCM100	1.3	M-JPEG	1	640x480	One-way	2/1	No	Yes	Yes	
BB-HCM110	1.3	M-JPEG	1	640x480	One-way	2/1	Yes	Yes	Yes	
BB-HCM311		M-JPEG	1	640x480	One-way	2/1	Yes	Yes	Yes	Supported by design
BB-HCM331	1.3	M-JPEG	1	640x480	No	2/1	Yes	Yes	Yes	
BB-HCM371		M-JPEG	1	640x480	One-way	2/1	No	Yes	Yes	Supported by design
BB-HCM381	1.3	M-JPEG	1	640x480	No	1/1	Yes	Yes	Yes	
BB-HCM403		M-JPEG	1	640x480	One-way	2/1	No	Yes	Yes	Supported by design
BB-HCM511	1.3	MPEG4 M-JPEG	1	640x480	One-way	2/1	Yes	Yes	Yes	
BB-HCM515	3.11R01	MPEG4 M-JPEG	1	1280x1024	One-way	2/1	No	Yes	Yes	
Note: No audio support in M-JPEG format @ 1280x1024.										
BB-HCM527		MPEG4 M-JPEG	1	640x480	One-way	2/1	No	Yes	Yes	Supported by design
BB-HCM531	3.51R00	MPEG4 M-JPEG	1	640x480	One-way	2/1	No	Yes	Yes	
BB-HCM580		MPEG4 M-JPEG	1	640x480	No	2/1	No	Yes	Yes	Supported by design
BB-HCM581	1.3	MPEG4 M-JPEG	1	640x480	One-way	2/1	Yes	Yes	Yes	
BB-HCS301		M-JPEG	1	640x480	One-way	1/1	No	Yes	Yes	Supported by design
BL-C1		M-JPEG	1	640x480	No	0/0	No	Yes	Yes	Supported

NVRmini Supported Camera Spec

NUUO version 2.2_release date_091125

										by design
BL-C10		M-JPEG	1	640x480	No	0/0	Yes	Yes	Yes	Supported by design
BL-C111	3.10R01	MPEG4 M-JPEG	1	640x480	One-way	0/0	Yes	Yes	Yes	
BL-C131		MPEG4 M-JPEG	1	640x480	One-way	0/0	No	Yes	Yes	Supported by design
BL-C20		M-JPEG	1	640x480	No	0/0	No	Yes	Yes	Supported by design
BL-C30		M-JPEG	1	640x480	No	0/0	Yes	Yes	Yes	Supported by design
KX-HCM110		M-JPEG	1	640x480	One-way	2/1	No	Yes	Yes	Supported by design
KX-HCM280 A		M-JPEG	1	640x480	No	2/1	No	Yes	Yes	Supported by design

Panasonic



PSS

Device Name	Tested Firmware	Video Format	Video Channels	Max Resolution	Audio	I/O Channels	PTZ Support	On-Edge Motion	UPnP	Remarks
DG-NF282		MPEG4 M-JPEG	1	640x480	One-way	0/0	No	Yes	No	Supported by design
DG-NF302	1.5	MPEG4 M-JPEG	1	1280x960	One-way	0/0	No	Yes	No	Supported by design
DG-NP240		MPEG4 M-JPEG	1	640x480	One-way	0/0	No	Yes	No	Supported by design
DG-NP244		MPEG4 M-JPEG	1	640x480	One-way	0/0	No	Yes	No	Supported by design
DG-NP304	1.5	MPEG4 M-JPEG	1	1280x960	One-way	0/0	No	Yes	No	Supported by design
DG-NS202		MPEG4 M-JPEG	1	640x480	One-way	0/0	Yes	Yes	No	Supported by design
DG-NS202A	2.6	MPEG4 M-JPEG	1	640x480	One-way	0/0	Yes	Yes	No	
DG-NS950	1.5	MPEG4 M-JPEG	1	640x480	One-way	0/0	Yes	Yes	No	Supported by design
DG-NS954	1.5	MPEG4 M-JPEG	1	640x480	One-way	0/0	Yes	Yes	No	Supported by design
DG-NW960	1.5	MPEG4 M-JPEG	1	640x480	One-way	0/0	Yes	Yes	No	Supported by design
DG-NW964	1.5	MPEG4 M-JPEG	1	640x480	One-way	0/0	Yes	Yes	No	Supported by design
WJ-NT304	1.04	M-JPEG	4	640x480	No	0/0	Yes	No	No	
WJ-NT314		M-JPEG	4	640x480	One-way	0/0	Yes	No	No	Supported by design
WV-NF284		MPEG4 M-JPEG	1	640x480	One-way	0/0	No	Yes	No	Supported by design
WV-NF302	1.40E4_1.06	MPEG4 M-JPEG	1	1280x960	One-way	0/0	No	Yes	No	
WV-NM100		MPEG4 M-JPEG	1	640x480	No	0/0	Yes	No	No	Supported by design
WV-NP1000		M-JPEG	1	1280x960	One-way	0/0	No	Yes	No	Supported by design
WV-NP1004	1.21	M-JPEG	1	1280x960	One-way	0/0	No	Yes	No	
WV-NP240		MPEG4 M-JPEG	1	640x480	One-way	0/0	No	Yes	No	Supported by design
WV-NP244		MPEG4 M-JPEG	1	640x480	One-way	0/0	No	Yes	No	Supported by design
WV-NP304	1.50E5_1.06	MPEG4 M-JPEG	1	1280x960	One-way	0/0	No	Yes	No	
WV-NP472		M-JPEG	1	640x480	No	0/0	No	Yes	No	Supported by design
WV-NP502	1.00	MPEG4 M-JPEG H.264	1	2048x1536	One-way	0/0	No	Yes	No	

11 / 17

NVRmini Supported Camera Spec

NUUO version 2.2_release date_091125

WV-NS202		MPEG4 M-JPEG	1	640x480	One-way	0/0	Yes	Yes	No	Supported by design
WV-NS202A	2.6	MPEG4 M-JPEG	1	640x480	No	0/0	Yes	Yes	No	Supported by design
WV-NS324		M-JPEG	1	640x480	No	0/0	Yes	Yes	No	Supported by design
WV-NS950	1.5	MPEG4 M-JPEG	1	640x480	One-way	0/0	Yes	Yes	No	Supported by design
WV-NS954	1.06E0	MPEG4 M-JPEG	1	640x480	No	0/0	Yes	Yes	No	
Note: Audio is abnormal in MPEG4 format.										
WV-NW484	1.10ED	MPEG4 M-JPEG	1	640x480	No	0/0	No	Yes	No	
WV-NW50 2S	1.00	MPEG4 M-JPEG H.264	1	2048x153 6	One-way	0/0	No	Yes	No	
WV-NW960	1.5	MPEG4 M-JPEG	1	640x480	One-way	0/0	Yes	Yes	No	Supported by design
WV-NW964		MPEG4 M-JPEG	1	640x480	One-way	0/0	Yes	Yes	No	Supported by design

Samsung



Device Name	Tested Firmware	Video Format	Video Channels	Max Resolution	Audio	I/O Channels	PTZ Support	On-Edge Motion	UPnP	Remarks
SNC-B231 5	2.01	MPEG4 M-JPEG	1	720x576	One-way	2/2	No	Yes	No	
SNC-B539 5	2.10	MPEG4 M-JPEG	1	720x576	One-way	2/2	No	Yes	No	
SNC-6225	1.01	MPEG4 M-JPEG	1	720x576	One-way	2/1	Yes	Yes	No	
SNC-7225	1.01	MPEG4 M-JPEG	1	720x576	One-way	2/1	Yes	Yes	No	Supported by design
SNC-7478	1.01	MPEG4 M-JPEG	1	720x576	One-way	8/4	Yes	Yes	No	
SNC-M300	2.11	MPEG4 M-JPEG	1	2048x153 6	One-way	2/2	No	Yes	No	

SONY



Device Name	Tested Firmware	Video Format	Video Channels	Max Resolution	Audio	I/O Channels	PTZ Support	On-Edge Motion	UPnP	Remarks
SNC-CM120	1.00	MPEG4 M-JPEG	1	1280x960	One-way	1/2	Yes	Yes	No	
SNC-CS10		MPEG4 M-JPEG	1	640x480	One-way	1/1	No	Yes	No	Supported by design
SNC-CS11	1.05	MPEG4 M-JPEG	1	640x480	One-way	1/1	No	Yes	No	
SNC-CS20		MPEG4 M-JPEG	1	768x576	One-way	1/2	No	Yes	No	Supported by design
SNC-CS3		M-JPEG	1	736x480	No	1/2	No	No	No	Supported by design
SNC-CS50	2.21	MPEG4 M-JPEG	1	640x480	One-way	2/2	No	Yes	No	
SNC-DF40	1.17	MPEG4 M-JPEG	1	640x480	One-way	1/2	No	Yes	No	
SNC-DF50	1.11	MPEG4 M-JPEG H.264	1	640x480	One-way	1/2	No	Yes	No	
SNC-DF70	1.17	MPEG4 M-JPEG	1	640x480	One-way	1/2	No	Yes	No	
SNC-DF80	1.11	MPEG4 M-JPEG	1	640x480	One-way	1/2	Yes	Yes	No	

NVRmini Supported Camera Spec

NUUO version 2.2_release date_091125

		H.264								
SNC-DM110		MPEG4 M-JPEG	1	1280x960	One-way	1/2	No	Yes	No	Supported by design
SNC-DM160	1.01	MPEG4 M-JPEG	1	1280x960	One-way	1/2	Yes	Yes	No	
SNC-DS10	1.01	MPEG4 M-JPEG H.264	1	768x576	One-way	1/2	No	Yes	No	
SNC-DS60	1.00	MPEG4 M-JPEG	1	640x480	One-way	1/2	No	Yes	No	
SNC-P1	1.28	MPEG4 M-JPEG	1	640x480	One-way	1/1	No	Yes	No	
SNC-P5	1.11	MPEG4 M-JPEG	1	640x480	One-way	2/1	Yes	Yes	No	
SNC-RX530	3.00	MPEG4 M-JPEG H.264	1	640x480	One-way	2/2	Yes	Yes	No	
SNC-RX550		MPEG4 M-JPEG H.264	1	640x480	One-way	2/2	Yes	Yes	No	Supported by design
SNC-RX570	3.01	MPEG4 M-JPEG H.264	1	640x480	One-way	2/2	Yes	Yes	No	
SNC-RZ25	1.29	MPEG4 M-JPEG	1	640x480	One-way	2/2	Yes	Yes	No	
SNC-RZ30	3.14	M-JPEG	1	736x480	One-way	3/2	Yes	No	No	
SNC-RZ50	2.21	MPEG4 M-JPEG H.264	1	640x480	One-way	2/2	Yes	Yes	No	
SNC-Z20	1.06	M-JPEG	1	736x480	No	1/2	Yes	No	No	
Note:	PTZ Support: zoom only.									
SNT-V704	2.15	MPEG4 M-JPEG	4	720x480	One-way	1/4	No	No	No	

Toshiba

TOSHIBA

Device Name	Tested Firmware	Video Format	Video Channels	Max Resolution	Audio	I/O Channels	PTZ Support	On-Edge Motion	UPnP	Remarks
IKWB21A	2.09.E.200.121	M-JPEG	1	1280x960	Yes	0/0	Yes	No	No	
IKWB70A	0100e	MPEG4 M-JPEG	1	640x480	One-way	1/1	No	Yes	Yes	
IKWD01A	0100a	MPEG4 M-JPEG	1	640x480	One-way	1/1	No	Yes	Yes	

Vivotek



Device Name	Tested Firmware	Video Format	Video Channels	Max Resolution	Audio	I/O Channels	PTZ Support	On-Edge Motion	UPnP	Remarks
FD61x1		MPEG4 M-JPEG	1	720x480	One-way	1/1	No	Yes	Yes	Supported by design
FD61x2		MPEG4 M-JPEG	1	720x480	One-way	1/1	No	Yes	Yes	Supported by design
FD7130	0100e	MPEG4 M-JPEG	1	640x480	No	0/0	No	Yes	Yes	
FD7131		MPEG4 M-JPEG	1	720x480	One-way	1/1	No	Yes	Yes	Supported by design
FD7132	0100f	MPEG4 M-JPEG	1	640x480	No	1/1	No	Yes	Yes	
FD7141	0100g	MPEG4 M-JPEG	1	720x480	No	1/1	No	Yes	Yes	
Note:	MPEG4: Unable to connect through HTTP.									
IP21x1		M-JPEG	1	720x576	No	1/1	No	Yes	Yes	Supported

NVRmini Supported Camera Spec



NUUO version 2.2_release date_091125

										by design
IP21x2		M-JPEG	1	720x576	One-way	1/1	No	Yes	Yes	Supported by design
IP3132		H.263	1	720x576	One-way	1/1	No	Yes	Yes	Supported by design
IP3133		H.263	1	720x576	One-way	1/1	No	Yes	Yes	Supported by design
IP3135		H.263	1	720x576	One-way	0/0	No	Yes	Yes	Supported by design
IP3135-PLNK		H.263	1	720x576	One-way	1/2	No	Yes	Yes	Supported by design
IP3136		H.263	1	720x576	One-way	0/0	No	Yes	Yes	Supported by design
IP3136-PLNK		H.263	1	720x576	One-way	1/2	No	Yes	Yes	Supported by design
IP3137		H.263	1	720x576	One-way	1/1	No	Yes	Yes	Supported by design
IP31x1		H.263	1	720x576	No	1/1	No	Yes	Yes	Supported by design
IP31x1 TLFN		H.263	1	720x576	No	1/1	No	Yes	Yes	Supported by design
IP31x2		H.263	1	720x576	One-way	1/1	No	Yes	Yes	Supported by design
IP31x7		H.263	1	720x576	One-way	1/1	No	Yes	Yes	Supported by design
IP51x2		MPEG4	1	720x576	One-way	1/1	No	Yes	Yes	Supported by design
IP51x4		MPEG4	1	720x576	One-way	1/1	No	Yes	Yes	Supported by design
IP6114		MPEG4 M-JPEG	1	720x576	One-way	1/1	No	Yes	Yes	Supported by design
IP6124		MPEG4 M-JPEG	1	720x576	One-way	1/1	No	Yes	Yes	Supported by design
IP61x2		MPEG4 M-JPEG	1	720x576	One-way	1/1	No	Yes	Yes	Supported by design
IP61x4		MPEG4 M-JPEG	1	720x576	One-way	1/1	No	Yes	Yes	Supported by design
IP61X7		MPEG4 M-JPEG	1	720x576	One-way	1/1	No	Yes	Yes	Supported by design
IP7130	0100c	MPEG4 M-JPEG	1	640x480	One-way	1/1	No	Yes	Yes	
IP7131		MPEG4	1	704x576	One-way	1/1	No	Yes	Yes	Supported by design
IP7132		MPEG4	1	704x576	One-way	1/1	No	Yes	Yes	Supported by design
IP7133	0100b	MPEG4 M-JPEG	1	640x480	One-way	1/1	No	Yes	Yes	
IP7134	0100b	MPEG4 M-JPEG	1	640x480	One-way	1/1	No	Yes	Yes	
IP7135		MPEG4	1	704x576	One-way	0/0	No	Yes	Yes	Supported by design
IP7137		MPEG4	1	704x576	One-way	0/0	No	Yes	Yes	Supported by design
IP7138	0101h	MPEG4 M-JPEG	1	1280x1024	One-way	1/1	No	Yes	Yes	
IP7139		MPEG4 M-JPEG	1	1280x1024	One-way	1/1	No	Yes	Yes	Supported by design
IP7142		MPEG4 M-JPEG	1	704x576	One-way	1/1	No	Yes	Yes	Supported by design
IP7151		MPEG4 M-JPEG	1	704x576	One-way	1/1	No	Yes	Yes	Supported by design
IP7152		MPEG4 M-JPEG	1	704x576	One-way	1/1	No	Yes	Yes	Supported by design
IP7154	0100b	MPEG4 M-JPEG	1	640x480	One-way	1/1	Yes	Yes	Yes	
IP7160	0101b	MPEG4 M-JPEG	1	1600x1200	One-way	1/1	No	Yes	Yes	

NVRmini Supported Camera Spec

NUUO version 2.2_release date_091125

IP7161		MPEG4 M-JPEG	1	1600x1200	One-way	1/1	No	Yes	Yes	Supported by design
IP71x7		MPEG4	1	704x576	One-way	1/1	No	Yes	Yes	Supported by design
IP7251	0100f	MPEG4	1	640x480	One-way	1/1	Yes	Yes	Yes	
Note:	MPEG4: Unable to connect through HTTP.									
IP7330		MPEG4 M-JPEG	1	640x480	No	1/0	No	Yes	Yes	Supported by design
IZ7151		MPEG4 M-JPEG	1	704x576	One-way	1/1	Yes	Yes	Yes	Supported by design
Note:	PTZ Support: zoom only.									
PT3134		H.263	1	720x576	One-way	1/1	Yes	Yes	Yes	Supported by design
PT31x2		H.263	1	720x576	One-way	1/1	Yes	Yes	Yes	Supported by design
PT31x3		H.263	1	720x576	One-way	1/1	Yes	Yes	Yes	Supported by design
PT31x4		H.263	1	720x576	One-way	1/1	Yes	Yes	Yes	Supported by design
PT31x7		H.263	1	720x576	One-way	1/1	Yes	Yes	Yes	Supported by design
PT7000		MPEG4	1	720x576	One-way	0/0	Yes	Yes	Yes	Supported by design
PT7135		MPEG4	1	720x576	One-way	0/0	Yes	Yes	Yes	Supported by design
PT7137		MPEG4	1	704x576	One-way	0/0	Yes	Yes	Yes	Supported by design
PZ61x2		MPEG4 M-JPEG	1	704x576	One-way	1/1	Yes	Yes	Yes	Supported by design
PZ61x4		MPEG4 M-JPEG	1	704x576	One-way	1/1	Yes	Yes	Yes	Supported by design
PZ7131	0100b	MPEG4 M-JPEG	1	640x480	One-way	1/1	Yes	Yes	Yes	
PZ7151	0101b	MPEG4 M-JPEG	1	704x576	One-way	1/1	Yes	Yes	Yes	
Note:	MPEG4: Unable to connect through HTTP.									
PZ7152		MPEG4 M-JPEG	1	704x576	One-way	1/1	Yes	Yes	Yes	Supported by design
PZ71X1		MPEG4 M-JPEG	1	704x576	One-way	1/1	Yes	Yes	Yes	Supported by design
SD61x2		MPEG4 M-JPEG	1	720x576	One-way	4/1	Yes	Yes	Yes	Supported by design
SD7151	0101d	MPEG4 M-JPEG	1	720x576	One-way	4/1	Yes	Yes	Yes	
Note:	No audio support in M-JPEG format. MPEG4: Unable to connect through HTTP.									
SD73X3		MPEG4 M-JPEG	1	704x576	One-way	4/1	Yes	Yes	Yes	Supported by design
TC5331		MPEG4	1	720x576	One-way	0/0	No	Yes	Yes	Supported by design
TC5633	0100c	MPEG4 M-JPEG	1	640x480	No	0/0	Yes	Yes	Yes	
Note:	MPEG4: Unable to connect through HTTP.									
VS2101		M-JPEG	1	720x576	No	1/1	No	Yes	Yes	Supported by design
VS2401		M-JPEG	4	720x576	No	4/2	No	Yes	Yes	Supported by design
VS2402		M-JPEG	4	720x576	No	4/2	No	Yes	Yes	Supported by design
VS2403	0103b	M-JPEG	4	720x576	One-way	4/4	Yes	Yes	Yes	
VS3100		H.263	1	720x576	One-way	1/1	No	Yes	Yes	Supported by design
VS3101		H.263	1	720x576	No	1/1	No	Yes	Yes	Supported by design
VS3102		H.263	1	720x576	One-way	1/1	No	Yes	Yes	Supported by design
VS3102-		H.263	1	720x576	One-way	1/1	No	Yes	Yes	Supported by design

NVRmini Supported Camera Spec

NUUO version 2.2_release date_091125

XLTH										by design
VS7100	0101e	MPEG4 M-JPEG	1	720x576	No	1/1	Yes	Yes	Yes	

Note: MPEG4: Unable to connect through HTTP.

Note: Audio: All cameras don't support AAC audio codec, but GSM-AMR.

Zavio



Device Name	Tested Firmware	Video Format	Video Channels	Max Resolution	Audio	I/O Channels	PTZ Support	On-Edge Motion	UPnP	Remarks
B5110	MG.0.6.01_C1	MPEG4 M-JPEG H.264	1	1280x1024	One-way	1/1	No	Yes	Yes	Supported by design
B6110	MG.0.6.01_C1	MPEG4 M-JPEG H.264	1	1280x1024	One-way	1/1	No	Yes	Yes	Supported by design
D510E	LM.1.6.16.03	MPEG4 M-JPEG	1	640x480	One-way	1/1	No	Yes	Yes	Supported by design
D520E	LM.1.6.16.03	MPEG4 M-JPEG	1	640x480	One-way	1/1	No	Yes	Yes	Supported by design
D610A	LM.1.6.16	MPEG4 M-JPEG	1	640x480	One-way	0/0	No	Yes	Yes	
D6111	MG.0.6.01_C1	MPEG4 M-JPEG H.264	1	1280x1024	One-way	1/1	No	Yes	Yes	Supported by design
D611E	LM.1.6.16	MPEG4 M-JPEG	1	640x480	One-way	0/0	No	Yes	Yes	
F210A	LM.1.6.15	MPEG4 M-JPEG	1	640x480	One-way	0/0	No	Yes	Yes	
F3100	MG.0.6.01_C1	MPEG4 M-JPEG H.264	1	1280x1024	One-way	0/0	No	Yes	Yes	Supported by design
F3105	MG.0.6.01_C1	MPEG4 M-JPEG H.264	1	1280x1024	One-way	0/0	No	Yes	Yes	Supported by design
F312A	LM.1.6.16.03	MPEG4 M-JPEG	1	640x480	One-way	0/0	No	Yes	Yes	Supported by design
F5100	MG.0.6.01_C1	MPEG4 M-JPEG H.264	1	1280x1024	One-way	1/1	No	Yes	Yes	Supported by design
F5105	MG.0.6.01_C1	MPEG4 M-JPEG H.264	1	1280x1024	One-way	1/1	No	Yes	Yes	Supported by design
F510E	LM.1.6.16.03	MPEG4 M-JPEG	1	640x480	One-way	1/1	No	Yes	Yes	Supported by design
F510W	LM.1.6.16.03	MPEG4 M-JPEG	1	640x480	One-way	1/1	No	Yes	Yes	Supported by design
F5110	MG.0.6.01_C1	MPEG4 M-JPEG H.264	1	1280x1024	One-way	1/1	No	Yes	Yes	Supported by design
F5115	MG.0.6.01_C1	MPEG4 M-JPEG H.264	1	1280x1024	One-way	1/1	No	Yes	Yes	Supported by design
F511E	LM.1.6.16.03	MPEG4 M-JPEG	1	640x480	One-way	1/1	No	Yes	Yes	Supported by design
F511W	LM.1.6.16.03	MPEG4 M-JPEG	1	640x480	One-way	1/1	No	Yes	Yes	Supported by design
F520E	LM.1.6.16.03	MPEG4 M-JPEG	1	640x480	One-way	1/1	No	Yes	Yes	Supported by design
F521E	LM.1.6.16.03	MPEG4 M-JPEG	1	640x480	One-way	1/1	No	Yes	Yes	Supported by design
F610A	LM.1.6.16.03	MPEG4 M-JPEG	1	640x480	One-way	1/1	No	Yes	Yes	Supported by design
F611E	LM.1.6.16.07	MPEG4 M-JPEG	1	640x480	One-way	1/1	No	Yes	Yes	

16 / 17

NVRmini Supported Camera Spec

NUUO version 2.2_release date_091125

F721A	LM.1.6.16.0 3	MPEG4 M-JPEG	1	640x480	One-way	0/0	No	Yes	Yes	Supported by design
F731E	LM.1.6.16.0 3	MPEG4 M-JPEG	1	640x480	One-way	1/1	No	Yes	Yes	Supported by design
M510E	LM.1.6.16.0 3	MPEG4 M-JPEG	1	640x480	One-way	1/1	Yes	Yes	Yes	Supported by design
M510W	LM.1.6.16.0 3	MPEG4 M-JPEG	1	640x480	One-way	1/1	Yes	Yes	Yes	Supported by design
M511E	LM.1.6.16.0 3	MPEG4 M-JPEG	1	640x480	One-way	1/1	Yes	Yes	Yes	Supported by design
M511W	LM.1.6.16.0 3	MPEG4 M-JPEG	1	640x480	One-way	1/1	Yes	Yes	Yes	Supported by design
P5110	MG.0.6.01_ C1	MPEG4 M-JPEG H.264	1	1280x102 4	One-way	1/1	Yes	Yes	Yes	Supported by design
P5115	MG.0.6.01_ C1	MPEG4 M-JPEG H.264	1	1280x102 4	One-way	1/1	Yes	Yes	Yes	
V111T	LM.1.6.16.0 3	MPEG4 M-JPEG	1	640x480	One-way	1/1	Yes	Yes	Yes	Supported by design