

8ch/16ch Standalone NVR




- One-click setup
- HDMI & VGA dual display
- Support embedded motion detection (local setup)
- POS integration
- Plug & play

Features

- Linux embedded – safer solution against PC crashes and virus attacks
- One-click setup for more than 100 brands of IP cameras
- findNVR – free from router settings for web/ mobile viewing
- Point of Sale (POS)
- Support embedded motion detection (local setup)
- Support camera multi-stream setting
- Support megapixel cameras and H.264 compression format
- Support one-way audio
- Support camera snapshot
- Remote I/O solution and camera I/O integration
- Real-time digital output, Email alert and push notification on mobile
- Digital watermark
- NTP server synchronization
- Compatible with touch panel
- Support HDD SMART self-test
- Support 2329 IP camera models (with free monthly update)

Architecture



Specifications

Maximum Numbers of Licenses	16	
Based License	8	16
Video Output	HDMI, VGA	
Output Resolution	1920x1080, 1280x1024, 1280x720, 1024x768	
Decoding Capacity (H.264)	180fps @1080p or 360fps @720p no resolution limitation on single channel	
Throughput	80Mbps	
Number of Drives	2 x 3.5" SATA II	
External Storage	1 x eSATA	
RAM	DDR3 1GB	
USB	2 x USB 2.0 (for keyboard, mouse, UPS, USB flash drive)	
LAN	1 x Gigabit Port, RJ45	
LAN Transmission Speed	10/100/1000 Mbps	
OS	Linux embedded	
Audio	One way	
POE	Option	
POS Integration	Yes	
CMS Support	Yes	
Camera Multi-stream	Yes	
Camera Auto Setup	Yes	
Mobile Platform	iPhone, iPad, Android	
Remote Client	Mobile, Windows application, Browser	
P2P Service(findNVR)	Yes	
Live View Control	Live view, preset/go, PTZ, remote I/O, snapshot, digital PTZ	
Intelligent Search via Web/Remote	General motion, missing object, foreign object, lose focus, camera occlusion	
ONVIF	ONVIF 2.3 & Profile S compliant	

** Product specifications are subject to change without prior notice.

